L Number	Hits	Search Text	DB	Time stamp
1	1	receiv\$3 near5 sleep same address near3 adapter	USPAT;	2004/08/27
1			US-PGPUB;	15:26
j			EPO; JPO;	
1			DERWENT;	
_	_		IBM_TDB	
2	2	receiv\$3 near5 sleep same write near5 data near3 bus	USPAT;	2004/08/27
j			US-PGPUB;	15:26
		the state of the s	EPO; JPO;	
}			DERWENT;	ļ
_	_		IBM_TDB	1
3	0	receiv\$3 near5 sleep same transmi\$5 near8 co\$1processor	USPAT;	2004/08/27
			US-PGPUB;	15:27
			EPO; JPO;	
			DERWENT;	
		the second of th	IBM_TDB	
4	22	receiv\$3 near5 sleep same transmi\$5 near8 processor	USPAT;	2004/08/27
j			US-PGPUB;	15:32
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
5	101	write same sleep same bus same address	USPAT;	2004/08/27
			US-PGPUB;	15:33
ļ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	11	write with sleep with bus with address	USPAT;	2004/08/27
			US-PGPUB;	15:35
1			EPO; JPO;	
		·	DERWENT;	
[IBM_TDB	
7	26	write with sleep with bus	USPAT;	2004/08/27
[US-PGPUB;	15:57
			EPO; JPO;	
[DERWENT;	
			IBM_TDB	
8	17	driver same sleep same transceiver	USPAT;	2004/08/27
			US-PGPUB;	15:57
[EPO; JPO;	
			DERWENT;	
ĺ			IBM_TDB	
-	1	(abdulkarim near2 soubhi).inv.	USPAT;	2004/08/25
1			US-PGPUB;	16:27
			EPO; JPO;	•
ĺ			DERWENT;	
			IBM_TDB	
-	2	6026494.pn.	USPAT;	2004/08/25
			US-PGPUB;	16:29
1			EPO; JPO;	
j	,		DERWENT;	
Ì			IBM_TDB	
-	6254	communication near3 adapter	USPAT;	2004/08/25
ĺ			US-PGPUB;	16:30
			EPO; JPO;	
	İ		DERWENT;	
		•	IBM_TDB	
.	7	(communication near3 adapter) same sleep	USPAT;	2004/08/25
1			US-PGPUB;	17:12
ļ			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
- !	10	(communication near3 adapter) same low near3 power	USPAT;	2004/08/25
1		• • • • • • • • • • • • • • • • • • • •	US-PGPUB:	17:16
			EPO; JPO;	
1			DERWENT:	
l l			IBM_TDB	l

30008 13					
BOOO8 Communication near3 device Commun	-	416	communication near3 translator	USPAT;	2004/08/25
130008 Communication near3 device DERWENT: IBM_TOB USPAT; US-PGPUB; PEO, IPO, IPO, DERWENT: IBM_TOB USPAT; US-PGPUB; PEO, IPO, IPO, DERWENT: IBM_TOB USPAT; US-PGPUB; PEO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, IP]		US-PGPUB;	17:17
130008 1	1	1		EPO; JPO;	
130008 1				DERWENT:	
130008 Communication near3 device USPAT; US-PGPUB; EPO, IPO, DERWENT; IBM, TDB USPAT; US-PGPUB; EPO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, I	}	1		1	}
US-PCPUB: EPO, IPO, DERWENT; BM, TDB USPAT; US-PCPUB: EPO, IPO, DERWENT; EPO, IPO, DERWE	\	130008	communication near3 device		2004/08/25
- 355 (communication near3 device) same sleep - 355 (communication near3 device) same sleep - 8 (communication near3 device) same sleep near3 message - 8 (communication near3 device) same sleep near3 message - 133 (communication near3 device) near8 sleep - 133 (communication near3 device) near8 sleep - 111 (communication near3 device) near8 sleep - 112 (sleep near3 (message or command)) same communication - 105 (sleep near3 (message or command)) same communication - 106 (sleep near3 (message or command)) same communication near3 device) - 107 (sleep near3 (message or command)) same (communication near3 device) - 108 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command)) same (communication near3 device) - 109 (sleep near3 (message or command) - 109 (sleep near3 (message or command) - 109 (sleep near3 (message or command) - 100 (sleep near3 (messag		130000	Communication reads acvice		1
- 355 (communication near3 device) same sleep - 8 (communication near3 device) same sleep - 8 (communication near3 device) same sleep near3 message - 133 (communication near3 device) same sleep near3 message - 133 (communication near3 device) near8 sleep - 133 (communication near3 device) near8 sleep - 111 (communication near3 device) near8 sleep - 112 (communication near3 device) near8 sleep - 113 (communication near3 device) near8 sleep - 114 (communication near3 device) near8 sleep - 115 (sleep near3 (message or command)) same communication - 116 (sleep near3 (message or command)) same communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 117 (sleep near3 (message or command)) same (communication near3 device) - 117 (sleep near3 (message or command)) same (communication near3 device) - 118 (sleep near3 (message or command)) same (communication near3 device) - 118 (sleep near3 (message or command)) same (communication near3 device) - 118 (sleep near3 (message or command) - 119 (sleep near3 (message or command)) same (communication near3 device) - 110 (sleep near3 (message or command) - 110 (sleep near3 (message or command) - 110 (sleep near3 (message or command) - 110 (sleep near3 (messag	1				17:17
SBM_TDB USPAT; US-PCPUB; EPO, IPO; DERWENT; IBM_TDB USPAT; US-		1.			
335 Communication near3 device) same sleep USPAT; 12004/08/25 179	1	1		,	
U.S-P.C.PLIB, EP.C., IP.C. DERWENT; IBM, TIDB 2004/08/25 2004/08				_	
Book Communication near3 device) same sleep near3 message	-	355	(communication near3 device) same sleep		2004/08/25
Communication near3 device) same sleep near3 message	1 .	ļ		US-PGPUB;	17:19
BM, TDB				EPO; JPO;	
2004/08/25 200	Ì			DERWENT;	
2004/08/25 200	1.			IBM TDB	
US-PCPUB;	-	8	(communication near3 device) same sleep near3 message		2004/08/25
EPO, IPO, DERWENT; IBM TDB USPAT; US-PCPUB;	}	-			1
DERWENT; IBM_TIDB USPAT; USP-CPUB; EPO; IPO; DERWENT; IBM_TIDB USPAT; USP-CPUB; IBM_TIDB USPAT; US		I			17.10
BBM_TDB USPAT, US-PCPUB, EPO, IPO, DERWENT; BM_TDB USPAT, US					
133 Communication near3 device) near8 sleep					
US-PCPUB; EPO_IPO_DEWENT: IBM_TDB USPAT; US-PCPUB; EPO_IPO_DERWENT: IB	1	1	Communication and desired and t		
- 111 (communication near3 device) near5 sleep - 111 (communication near3 device) near5 sleep - 112 (communication near3 device) near5 sleep - 113 (communication near3 device) near5 sleep - 114 (sleep near3 (message or command)) same communication - 115 (sleep near3 (message or command)) same communication - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 117 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 117 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep near3 (message or command)) same (communication near3 device) - 116 (sleep	-	133	(communication nears device) near8 sleep		
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; PO; DERWENT; US-PGPUB; EPO; PO;					17:19
BM, TDB USPAT; US-PGPUB; PPO; PO; DERWENT; BM TDB USPAT; US-PGPUB; PPO; PO; DERWENT; BM, TDB USPAT; US-PGPUB; PPO; PPO; PPO; PPO; PPO; PPO; PPO; PP	1				
BM, TDB USPAT; US-PGPUB; PPO; PO; DERWENT; BM TDB USPAT; US-PGPUB; PPO; PO; DERWENT; BM, TDB USPAT; US-PGPUB; PPO; PPO; PPO; PPO; PPO; PPO; PPO; PP				DERWENT;	
10 Communication near3 device) near5 sleep		1		1	
U.S-P.C. P.B. FEPC. P.B.	l -	111	(communication near3 device) near5 sleep		2004/08/25
Soo	1	1		•	
- 105 (sleep near3 (message or command) 105 (sleep near3 (message or command)) same communication 105 (sleep near3 (message or command)) same (communication near3 device) 17:24					17.12
IBM_TDB USPAT; US-PCPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-					
- 105 (sleep near3 (message or command) USPĀT; US-PCPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I	1				
US-PCPUB; EPO; IPO; DERWENT; IBM_TOB USPAT; US-PCPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I)		, , , , , , , , , , , , , , , , , , ,		
EPO, IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO, IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO, IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO, IPO; DERWENT; IBM_TDB USPAT; ISPAT;	-	800	sleep near3 (message or command)		
- 105 (sleep near3 (message or command)) same communication				US-PGPUB;	17:24
105 (sleep near3 (message or command)) same communication IBM_TOB USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; USPADT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPADT; USPAT; USPADT; USPAT; USPADT; US		1		EPO; JPO;	
105 (sleep near3 (message or command)) same communication USPĀT; US-PGPUB; EPO; IPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I	1			DERWENT;	
105 (sleep near3 (message or command)) same communication USPĀT; US-PGPUB; EPO; IPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I		1		IBM TDB	ı
US-PCPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PCPUB; EPO; IPO; DERWENT; ISPAT; US-PCPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I	_	105	(sleep near3 (message or command)) same communication		2004/08/25
POP POP DERWENT IBM TDB USPAT USPOPUB; POP IBM TDB USPAT USPOPUB; POP	l	1	,		
- 10 (sleep near3 (message or command)) same (communication near3 device) - 1632 select\$3 near8 communication near3 protocol - 1632 select\$3 near8 communication near3 protocol - 24 (select\$3 near8 communication near3 protocol) same clock - 24 (select\$3 near8 communication near3 protocol) same clock - 7 determin\$3 near5 clock with response near5 sleep - 98 determin\$3 near5 clock with sleep - 0 determin\$3 near5 clock with sleep - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command	•		·	1	
10 (sleep near3 (message or command)) same (communication near3 device) IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT;	1				
- 1632 select\$3 near8 communication near3 protocol USPAT; US-PCPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PCPUB; IBM_TDB USPAT; US-PCPU					
US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PCPUB; IBM_TDB USPAT;	ļ.				
EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; IB::06 USPAT; US-PGPUB; IB::07 USPAT; US-PGPUB; IBM_TDB USPAT; U	-	10	(sleep near3 (message or commana)) same (communication near3 device)		· ·
DERWENT; IBM_TDB USPAT; US-PGPUB; IB.06 EPO; PO; DERWENT; IBM_TDB USPAT; US-PGPUB; IB.06 EPO; PO; DERWENT; IBM_TDB USPAT; US-PGPUB; IB.06 EPO; PO; DERWENT; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PG	1	}		US-PGPUB;	18:O5
- 1632 select\$3 near8 communication near3 protocol IBM_TDB					
- 1632 select\$3 near8 communication near3 protocol USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				DERWENT;	
- 1632 select\$3 near8 communication near3 protocol USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	[IBM_TDB	
US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I	-	1632	select\$3 near8 communication near3 protocol	USPAT;	2004/08/25
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PCPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PCPUB; US-PCPUB; US-PCPUB; US-PCPUB; US-PCPUB; US-PCPUB; US-PCPUB; US-PCP	1		•		l .
DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAC;					
- 24 (select\$3 near8 communication near3 protocol) same clock (select\$3 near8 communication near3 protocol) same clock (select\$3 near8 communication near3 protocol) same clock USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TBB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	·				
- 24 (select\$3 near8 communication near3 protocol) same clock USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; ISPAT; US-PGPUB; EPO; IPO; DERWENT;	[1	
US-PGPUB; 18:06 EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; EPO; JPO; EPO; JPO; EPO; JPO; EPO; JPO; EPO; JPO; EPO;	l _	3.0	(coloreta nogra communication many) nychocal)	-	2004/00/25
- 7 determin\$3 near5 clock with response near5 sleep - 7 determin\$3 near5 clock with response near5 sleep - 98 determin\$3 near5 clock with sleep - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command	1 -	24	Gelectio neara communication nears protocol) same clock		
- 7 determin\$3 near5 clock with response near5 sleep - 7 determin\$3 near5 clock with response near5 sleep - 98 determin\$3 near5 clock with sleep - 98 determin\$3 near5 clock with sleep - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command - 0 determin\$3 near5 clock with sleep near3 command	ļ				18:Op
- determin\$3 near5 clock with response near5 sleep 1BM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EVS-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; US-PGPUB; EPO; IPO; DERWENT; US-PGPUB; EPO; IPO; DERWENT;					
- determin\$3 near5 clock with response near5 sleep 98 determin\$3 near5 clock with sleep 98 determin\$3 near5 clock with sleep 0 determin\$3 near5 clock with sleep 0 determin\$3 near5 clock with sleep near3 command 1 determin\$3 near5 clock with sleep near3 command 2 determin\$3 near5 clock with sleep near3 command 2 determin\$3 near5 clock with sleep near3 command 3 determin\$3 near5 clock with sleep near3 command 4 determin\$3 near5 clock with sleep near3 command 4 determin\$3 near5 clock with sleep near3 command	1			1	
US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT;					
US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT;	-	7	determin\$3 near5 clock with response near5 sleep	USPAT;	2004/08/26
- 98 determin\$3 near5 clock with sleep	[1		US-PGPUB:	14:07
- 98 determin\$3 near5 clock with sleep					
- 98 determin\$3 near5 clock with sleep determin\$3 near5 clock with sleep o determin\$3 near5 clock with sleep near3 command determin\$3 near5 clock with sleep near3 command libM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; DERWENT;	1				
- 98 determin\$3 near5 clock with sleep O determin\$3 near5 clock with sleep near3 command O determin\$3 near5 clock with sleep near3 command USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; DERWENT;				1	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DS-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;	1_	00	determints nears clock with sloop		2004/09/25
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	96	determinas neurs dock with neep		
DERWENT; IBM_TDB USPAT; 2004/08/26 US-PGPUB; EPO; IPO; DERWENT;	1				14:07
- 0 determin\$3 near5 clock with sleep near3 command USPAT; 2004/08/26 US-PGPUB; EPO; IPO; DERWENT;					
- O determin\$3 near5 clock with sleep near3 command USPAT; 2004/08/26 US-PGPUB; EPO; IPO; DERWENT;	j	ļ			
US-PGPUB; 14:07 EPO: JPO: DERWENT;					
EPO: JPO: DERWENT;	[-	0	determin\$3 near5 clock with sleep near3 command		2004/08/26
EPO: JPO: DERWENT;				US-PGPUB;	14:07
DERWENT;					
				IBM TDB	

-	1	determin\$3 near5 clock with sleep near3 message	USPAT; US-PGPUB;	2004/08/26 14:08
			EPO; JPO;	
			DERWENT;	
1		dakan iaka wasang da kasan da sa wasan a	IBM_TDB	2004/20/24
) ⁻	1	determin\$3 near5 clock same sleep near3 message	USPAT; US-PGPUB:	2004/08/26
1			EPO; JPO;	14:08
			DERWENT;	
			IBM_TDB	
_	84	determin\$3 near5 clock near8 sleep	USPAT;	2004/08/26
		accenting from a court from a recep	US-PGPUB:	14:24
1			EPO; JPO;	
			DERWENT:	
	1		IBM_TDB	
-	70	determin\$3 near5 clock near5 sleep	USPAT;	2004/08/26
Ì	1	· ·	US-PGPUB;	14:09
			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	1	determin\$3 near5 clock same sleep near5 receipt	USPAT;	2004/08/26
1	j		US-PGPUB;	14:25
			EPO; JPO;	
1			DERWENT;	
		Albania trata a caracteria de la caracteria de la constanción del constanción de la	IBM_TDB	2004/25/55
-	38	determin\$3 near5 clock same sleep near5 receiv\$3	USPAT;	2004/08/26
			US-PGPUB;	14:30
	1		EPO; JPO; DERWENT;]
	ł		IBM_TDB	
-	0	selective\$2 near3 lower\$3 near3 clock with threshold	USPAT:	2004/08/26
		Selective \$2 flears lower \$5 flears clock with threshold	US-PGPUB:	14:31
			EPO; JPO;	17.51
			DERWENT:	
			IBM_TDB	
-	12	selective\$2 near3 lower\$3 near3 clock	USPAT;	2004/08/26
			US-PGPUB;	14:34
		·	EPO; JPO;	
	ĺ		DERWENT;	
			IBM_TDB	
{ -	165	lower\$3 near3 clock with threshold	USPAT;	2004/08/26
			US-PGPUB;	14:34
1			EPO; JPO;	
]		DERWENT;	
			IBM_TDB	
-	18	lower\$3 near3 clock with threshold near3 exceed\$3	USPAT;	2004/08/26
1			US-PGPUB;	14:49
			EPO; JPO; DERWENT;	
1			IBM_TDB	
_	11	decreas\$3 near3 clock with threshold near3 exceed\$3	USPAT;	2004/08/26
1	"	decreases field clock with threshold fields exceedes	US-PGPUB;	14:52
-	1		EPO; JPO;	1.7.02
	1		DERWENT;	
	l		IBM_TDB	
-	19	slow\$3 near3 clock with threshold near3 exceed\$3	USPAT;	2004/08/26
1			US-PGPUB;	15:00
1	1	· ·	EPO; JPO;	
1	[DERWENT;	ĺ
1			IBM_TDB	
-	10	check\$3 near3 clock near3 lower\$3	USPAT;	2004/08/26
	1		US-PGPUB;	16:50
1			EPO; JPO;	
] •			DERWENT;	
			IBM_TDB	0004/55/55
-	121	receiv\$3 near3 sleep near3 command	USPAT;	2004/08/26
			US-PGPUB;	16:51
	1		EPO; JPO; DERWENT;	
			IBM TDB	1
L	L	<u>l.,</u>		

·				
-	22	(receiv\$3 near3 sleep near3 command) same clock	USPAT;	2004/08/26
			US-PGPUB;	16:54
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
<u>-</u>	597	sleep near3 command	USPAT;	2004/08/26
			US-PGPUB;	16:54
			EPO; JPO;	
	İ		DERWENT;	
			IBM TDB	
_	2	(sleep near3 command) same sampl\$3 near3 clock	USPAT:	2004/08/26
		(Seep field Communal Same Samples fields assure	US-PGPUB;	16:56
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
		1	USPAT;	2004/08/26
-	249	sleep near3 message	US-PGPUB;	16:55
1			EPO; JPO;	10.33
	1		DERWENT;	,
			IBM_TDB	2004/00/26
-	0	(sleep near3 message) same sampl\$3 near3 clock	USPAT;	2004/08/26
			US-PGPUB;	16:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	280	low near3 power near3 command	USPAT;	2004/08/26
			US-PGPUB;	16:56
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	39	(low near3 power near3 command) same clock	USPAT;	2004/08/26
		•	US-PGPUB;	16:59
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
_	3	determin\$3 near3 protocol same response near5 sleep	USPAT;	2004/08/27
		and the state of t	US-PGPUB;	09:21
1 .			EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
1_	12	determin\$3 near3 protocol same sleep	USPAT;	2004/08/27
1	12	determina fical a protocor service stock	US-PGPUB;	09:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1.		determin\$3 near3 protocol same low near3 power	USPAT;	2004/08/27
-	14	determinas riedis protocorsame low riedis power	US-PGPUB;	15:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1	1		םטו_ואַפוּן	1

BEST AVAILABLE COPY